



DESCRIPTION

Timber maintenance wash with specialised neutral pH formula to extend coating life.

USES

Suitable for	Suitable for all oiled or coated exterior timber and most exterior surfaces, including concrete, stone, tiles, pavers and renders.
Not suitable for	Bare timber. Do not use within three weeks of coating timber. May remove some old and weathered coatings from timber.

PROPERTIES

Features	• Concentrate • Specialised cationic surfactant system lifts dirt and contaminants while helping preserve the timber's protective oil or coating. • Contains no phosphates, carbonates or builders.	Coverage	• 4m²/L when diluted with water • Final result dependent on timber species and condition.
Mix ratio	Mix ONE part Equisol Retane with TEN parts water	Clean up	Clean water
VOC g/l	Not available		

APPLICATION

Surface preparation	• Hose down surface to ensure timber is damp and cool prior to application.
Application	• For regular maintenance cleaning mix ONE part Equisol Retane with TEN parts water in a clean plastic container. • For heavy soiling and mildew removal, mix ONE part Equisol Retane with FIVE parts water. Stir thoroughly. • Apply mixture to wet timber with brush or broom and scrub vigorously. Leave for about 10 mins and avoid letting surface dry out. Rinse mixture off thoroughly with a high pressure garden hose. Severely stained decks may need an additional treatment or more vigorous scrubbing. • Do not apply in direct sunlight in hot temperatures. Equisol Retane is not a paint remover, but may remove some old and weathered coatings from timber.



SAFETY DIRECTIONS

Safety precautions	• Harmful if swallowed. Causes severe skin burns and serious eye damage.. • Avoid breathing spray or mist. When handling the concentrate, wear protective gloves and eye or face protection. Wash hands thoroughly after use. • Do not mix with other cleaning chemicals. Avoid release of concentrate to the environment. Do not allow undiluted product to enter drains, waterways or ponds..
Protective equipment	Wear safety shoes, overalls
Health effects	• See Safety Data Sheet for additional information. • FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26; New Zealand 0800 764 766). If medical advice is needed, have product container or label at hand. • SWALLOWED: If swallowed, rinse mouth. Do NOT induce vomiting. Give a glass of water. Immediately call a POISON CENTRE or doctor. • EYE: Immediately rinse cautiously with water for at least 15 minutes, holding eyelids apart. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical attention. • SKIN: If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water. Seek medical attention if irritation persists. • INHALED: Remove to fresh air. If breathing difficulty or irritation occurs, seek medical attention.
Flammability	Non-flammable
Fire Suppression	• Use extinguishing media appropriate to the surrounding fire. • Avoid breathing products of combustion.
Spills	• Wear appropriate protective equipment. Contain spill using sand, earth or other inert absorbent material. Prevent concentrated product entering drains, sewers or waterways. Collect recovered material into labelled containers and dispose of in accordance with local regulations

HANDLING AND STORAGE

Handling	Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols.
Storage	Store upright in the original, tightly closed container in a cool, well-ventilated area away from incompatible materials.

For full safety information see Retane Safety Data Sheet

Final result is dependent on many variables including exact timber species, colour, timber age, preparation, degree of weathering, correct application, climate and exposure. Information contained herein is correct at time of printing and is intended as a guide only. It is your responsibility to verify accuracy of all information and seek professional advice where necessary. If in doubt of result, a timber sample should be treated first. Equisol makes no representations or warranties of any kind with respect to this guide or its contents and will not, under any circumstances, be liable for any injury, loss or damage arising out of or related to the use of information in this guide. Equisol Retane is manufactured under licence for Surface Logic Pty Ltd.



TRANSPORT	
Road and Rail Transport	Not classified as Dangerous Goods by the criteria of the “Australian Code for the Transport of Dangerous Goods by Road & Rail” and the “New Zealand NZS5433: Transport of Dangerous Goods on Land”.
Marine Transport	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
Air Transport	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.